



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/777,572	02/11/2004	David Burton	24,577-45CIP	6003
32300	7590	09/01/2009	EXAMINER	
BRIGGS AND MORGAN P.A. 2200 IDS CENTER 80 SOUTH 8TH ST MINNEAPOLIS, MN 55402				DIXON, ANNETTE FREDRICKA
ART UNIT		PAPER NUMBER		
3771				
MAIL DATE		DELIVERY MODE		
09/01/2009		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Advisory Action Before the Filing of an Appeal Brief		Application No. 10/777,572	Applicant(s) BURTON, DAVID
		Examiner Annette F. Dixon	Art Unit 3771
<p>– The MAILING DATE of this communication appears on the cover sheet with the correspondence address –</p> <p>THE REPLY FILED 17 August 2009 FAILS TO PLACE THIS APPLICATION IN CONDITION FOR ALLOWANCE.</p> <p>1. <input checked="" type="checkbox"/> The reply was filed after a final rejection, but prior to or on the same day as filing a Notice of Appeal. To avoid abandonment of this application, applicant must timely file one of the following replies: (1) an amendment, affidavit, or other evidence, which places the application in condition for allowance; (2) a Notice of Appeal (with appeal fee) in compliance with 37 CFR 41.31; or (3) a Request for Continued Examination (RCE) in compliance with 37 CFR 1.114. The reply must be filed within one of the following time periods:</p> <p>a) <input checked="" type="checkbox"/> The period for reply expires 3 months from the mailing date of the final rejection.</p> <p>b) <input type="checkbox"/> The period for reply expires on: (1) the mailing date of this Advisory Action, or (2) the date set forth in the final rejection, whichever is later. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of the final rejection.</p> <p>Examiner Note: If box 1 is checked, check either box (a) or (b). ONLY CHECK BOX (b) WHEN THE FIRST REPLY WAS FILED WITHIN TWO MONTHS OF THE FINAL REJECTION. See MPEP 706.07(f).</p> <p>Extensions of time may be obtained under 37 CFR 1.136(a). The date on which the petition under 37 CFR 1.136(a) and the appropriate extension fee have been filed is the date for purposes of determining the period of extension and the corresponding amount of the fee. The appropriate extension fee under 37 CFR 1.17(a) is calculated from: (1) the expiration date of the shortened statutory period for reply originally set in the final Office action; or (2) as set forth in (b) above, if checked. Any reply received by the Office later than three months after the mailing date of the final rejection, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).</p> <p>NOTICE OF APPEAL</p> <p>2. <input type="checkbox"/> The Notice of Appeal was filed on _____. A brief in compliance with 37 CFR 41.37 must be filed within two months of the date of filing the Notice of Appeal (37 CFR 41.37(a)), or any extension thereof (37 CFR 41.37(e)), to avoid dismissal of the appeal. Since a Notice of Appeal has been filed, any reply must be filed within the time period set forth in 37 CFR 41.37(a).</p> <p>AMENDMENTS</p> <p>3. <input type="checkbox"/> The proposed amendment(s) filed after a final rejection, but prior to the date of filing a brief, will <u>not</u> be entered because</p> <p>(a) <input type="checkbox"/> They raise new issues that would require further consideration and/or search (see NOTE below);</p> <p>(b) <input type="checkbox"/> They raise the issue of new matter (see NOTE below);</p> <p>(c) <input type="checkbox"/> They are not deemed to place the application in better form for appeal by materially reducing or simplifying the issues for appeal; and/or</p> <p>(d) <input type="checkbox"/> They present additional claims without canceling a corresponding number of finally rejected claims.</p> <p>NOTE: _____. (See 37 CFR 1.116 and 41.33(a)).</p> <p>4. <input type="checkbox"/> The amendments are not in compliance with 37 CFR 1.121. See attached Notice of Non-Compliant Amendment (PTOL-324).</p> <p>5. <input type="checkbox"/> Applicant's reply has overcome the following rejection(s): _____. </p> <p>6. <input type="checkbox"/> Newly proposed or amended claim(s) _____ would be allowable if submitted in a separate, timely filed amendment canceling the non-allowable claim(s).</p> <p>7. <input checked="" type="checkbox"/> For purposes of appeal, the proposed amendment(s): a) <input type="checkbox"/> will not be entered, or b) <input checked="" type="checkbox"/> will be entered and an explanation of how the new or amended claims would be rejected is provided below or appended.</p> <p>The status of the claim(s) is (or will be) as follows:</p> <p>Claim(s) allowed: _____</p> <p>Claim(s) objected to: _____</p> <p>Claim(s) rejected: <u>1,2,4-11,14-26,29 and 30</u>.</p> <p>Claim(s) withdrawn from consideration: _____</p> <p>AFFIDAVIT OR OTHER EVIDENCE</p> <p>8. <input type="checkbox"/> The affidavit or other evidence filed after a final action, but before or on the date of filing a Notice of Appeal will <u>not</u> be entered because applicant failed to provide a showing of good and sufficient reasons why the affidavit or other evidence is necessary and was not earlier presented. See 37 CFR 1.116(e).</p> <p>9. <input type="checkbox"/> The affidavit or other evidence filed after the date of filing a Notice of Appeal, but prior to the date of filing a brief, will <u>not</u> be entered because the affidavit or other evidence failed to overcome <u>all</u> rejections under appeal and/or appellant fail to provide a showing a good and sufficient reasons why it is necessary and was not earlier presented. See 37 CFR 41.33(d)(1).</p> <p>10. <input type="checkbox"/> The affidavit or other evidence is entered. An explanation of the status of the claims after entry is below or attached.</p> <p>REQUEST FOR RECONSIDERATION/OTHER</p> <p>11. <input checked="" type="checkbox"/> The request for reconsideration has been considered but does NOT place the application in condition for allowance because: <u>See Continuation Sheet</u></p> <p>12. <input type="checkbox"/> Note the attached <i>Information Disclosure Statement(s)</i>. (PTO/SB/08) Paper No(s). _____</p> <p>13. <input type="checkbox"/> Other: _____</p> <p>/Justine R Yu/ Supervisory Patent Examiner, Art Unit 3771</p> <p>/Annette F Dixon/ Examiner, Art Unit 3771</p>			

Continuation of 11. does NOT place the application in condition for allowance because: Applicant asserts the prior art made of record does not disclose or teach the integration of EEG electrodes into the support bar of a mask at the FP1 and FP2 locations. Examiner respectfully disagrees with Applicant's assertions. Specifically, Examiner contests Applicant's arguments with respect to the features of "integration" and "imbedding" of the EEG sensor and the support bar are not supported in the claim language. It should be noted that the claims as written only recite "the sensors being held by the support bar" and not the imbedding or integration of the EEG sensor "into a mask" via the support bar (Page 9 of Applicant's arguments, emphasis added). Thus, Applicant is reminded, although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993). In this case, with respect to the claims as currently written, the rejection of the prior art is based upon the combination of Burton in view of Sullivan and John. As addressed in the final rejection, Burton discloses a mask and teaches the use of multiple physiological sensors including an EEG sensors for monitoring the breathing of the patient.(Abstract) Yet Burton does not disclose the structure of the mask including a support bar nor the placement of the EEG sensors upon the mask. Regarding the mask structure, Sullivan teaches a mask having a support bar head engaging region (30) for securing the straps of the mask when delivering gas to the patient. (Column 4, Lines 45-55). With respect to the location of the EEG sensors, John teaches the use of EEG sensors at the FP1 and FP2 locations. As known in the art, FP1 and FP2 are defined as the frontal pole electrode positions and are positioned on opposite sides of the midsagittal plane of the forehead. Thus, the modified Burton would teach the same mask as recited by the Applicant having a support bar and EEG electrodes at the same location as the support bar. Should Applicant wish to pursue the desired "integration" feature, it should be noted that case law supports the forming in one piece an article which has formerly been formed in two pieces and put together involves only routine skill in the art. *Howard v. Detroit Stove Works*, 150 U.S. 164 (1893). Thus in light of the aforementioned reasoning the final rejection of the claims has been maintained.